



**NOTES: UNLESS OTHERWISE NOTED.**

1. REMOVE ALL BURRS AND SHARP EDGES — R MAX
2. MACHINED SURFACE ROUGHNESS 125/
3. MATL: ALUM ALLOY
4. BLACK SULPHERIC ANODIZE
5. MACHINE SPACER LENGTH TO SAME LENGTH AS 2150.340-A502 WITHIN .0002

**REVISIONS**

LTR	DESCRIPTION	ECR	DATE	BY	APVD



TOLERANCES UNLESS OTHERWISE NOTED  
 DECIMALS      FRACTIONS      ANGULAR  
 .XX ± .03      ± —      ± 0° 30'  
 .XXX ± .010

**KITT PEAK NATIONAL OBSERVATORY**  
 OPERATED BY THE  
 ASSOCIATION OF UNIVERSITIES FOR RESEARCH IN ASTRONOMY, INC.  
 UNDER CONTRACT WITH  
 NATIONAL SCIENCE FOUNDATION

NEXT ASSEMBLY

NAME

REF  
FILE

2150.340  
-D502

INNER BEARING SPACER

1186

SCALE FULL

DESIGNED BY

DATE

APPROVED BY

DATE

DWG NO.

REV

DRAWN BY

DATE

APPROVED BY

DATE

2150.340-A503

CHECKED BY

DATE

APPROVED BY

DATE

RELEASE  
DATE

11-12-84