


NOTES: UNLESS OTHERWISE NOTED

1. REMOVE ALL BURRS AND SHARP EDGES $\frac{.03}{\sqrt{125}}$ R MAX
2. MACHINED SURFACE ROUGHNESS $\frac{.03}{\sqrt{125}}$

REVISIONS

LTR	DESCRIPTION	ECR	DATE	BY	APVD
A	N/A WAS -D102	2195	7-6-74	JK	AAA



MAT L: $\frac{3}{16}$ -16 X $2\frac{3}{4}$ HEX HD BOLT
(STEEL)

1 REQD

TOLERANCES UNLESS OTHERWISE NOTED
 DECIMALS FRACTIONS ANGULAR
 .XX ± .03 ± — ± 0° 30'
 .XXX ± .010

KITT PEAK NATIONAL OBSERVATORY
 OPERATED BY THE
 ASSOCIATION OF UNIVERSITIES FOR RESEARCH IN ASTRONOMY, INC.
 UNDER CONTRACT WITH
 NATIONAL SCIENCE FOUNDATION

NEXT ASSEMBLY
 2150.340-
 E100

NAME
 SCREW-JACK,
 SPRING

REF
 FILE 1186

SCALE FULL

DESIGNED BY
 JTB

DATE
 4-10-73

APPROVED BY
 A.A.A.

DATE
 1-9-74

DWG NO.

2150.340B113

REV

A

PRINT ISSUED

DRAWN BY
 JTB

DATE
 4-13-73

APPROVED BY

DATE

CHECKED BY

DATE

APPROVED BY

DATE

RELEASE DATE

3-5-74